

# Work Order ID 83905

\*8.3905\*

Page 1

April-27-12 11:16:49 AM

Item ID: D4435-043 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Mount Bracket Assembly  
 Start Date: 27/04/2012 Start Qty: 4.00 \*4\* Cust Item ID:  
 Required Date: 11/05/2012 Req'd Qty: 4.00 \*4\* Customer:  
 Reference:

Approvals: Process Plan: ULJ Date: 12/04/27 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4435	B								
100		0.00							
*100*	FLOW WATER JET								
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut D4435-3 as per Dwg								
6061 .0240	Dwg Rev: <u>B</u>								
	Prog Rev: <u>B</u>								
	2-Deburr if necessary								
110		0.00							
*110*	QC2- Inspect parts off machine FAI/FAIB								
QC	Memo	0.00							
Quality Control									
120		0.00							
*120*	QC8- Inspect parts - second check								
QC	Memo	0.00							
Quality Control									

B 12-5-19

B 12-5-19

S 12/05/12

(X)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 83905

\*83905\*

Page 2

April-27-12 11:16:49 AM

Item ID: D4435-043

Accept

\*N9000040100\*

Setup Start

\*NS1\*

Revision ID:

Item Name: Mount Bracket Assembly

Stop

\*NS2\*

Start Date: 27/04/2012 Start Qty: 4.00

\*4\*

Cust Item ID:

Required Date: 11/05/2012 Req'd Qty: 4.00

\*4\*

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

\*NR1\*

QC:

Date:

SPC (Y/N):

Date:

Stop

\*NR2\*

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

Chemical Conversion Coat per QSI005 4.1

0.00

\*130\*

HandFinish

Memo

0.00

Hand Finishing

1576-12-5-23

135

QC7-Inspect Chemical Conversion Coat

0.00


\*135\*

QC

Memo

0.00

Quality Control

15X  12/05/24

140

Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

0.00

\*140\*

Powdercoat

Memo

0.00


Powder Coating

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

8:00  
320 °F  
8:30

15X  12/05/24

M117338

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 83905

\*83905\*

Page 3

April-27-12 11:16:49 AM

Item ID: D4435-043 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Mount Bracket Assembly  
 Start Date: 27/04/2012 Start Qty: 4.00 \*4\* Cust Item ID:  
 Required Date: 11/05/2012 Req'd Qty: 4.00 \*4\* Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC3- Inspect Part Finish	0.00							
*150*						15.1	L	M	11/05/28
QC	Memo	0.00							
Quality Control									
160		0.00							
*160*									
Small Fab	Memo	0.00							SS 12/08/22
Small Fab	1- Cut rubber seal at 3.70" 2-Glue rubber seal to bracket as per dwg (SHEET 1, NOTE 8)								
170	QC5- Inspect part completeness to step on W/O	0.00							
*170*									
QC	Memo	0.00	Smb	DAS 16	12/08/23	15			
Quality Control			12-8-23						

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 83905

\*83905\*

Page 4

April-27-12 11:16:49 AM

Item ID: D4435-043 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Mount Bracket Assembly  
 Start Date: 27/04/2012 Start Qty: 4.00 \*4\* Cust Item ID:  
 Required Date: 11/05/2012 Req'd Qty: 4.00 \*4\* Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190 *190* Packaging Packaging	Identify as per dwg & Stock Location: 109  Memo	0.00  0.00		sl		15x		SL	12/8/23
200 *200* QC Quality Control	QC21- Final Inspection - Work Order Release  Memo	0.00  0.00						MLJ	12/08/24

MRF  
12-08-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

April-27-12 11:16:53 AM

Page 1

Work Order ID: 83905

\*83905\*

Parent Item: D4435-043

\*D4435-043\*

Parent Item Name: Mount Bracket Assembly

Start Date: 27/04/2012

Required Date: 11/05/2012

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP REV:A 11.10.05 NEW ISSUE DD VERF:EC  
12.03.06 AS PER DWG REV.B DD VERF:EC

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6S.040		Purchased		No		100	sf	348.0278	0.049	0.206316	1,		
**													
*M6061T6S 040*													
6061-T6 .040 Sheet													

B12-5-K

Location	Loc Qty	Loc Code
MAT021	348.0278	
121030	77.5278	
121099	270.5	

121030

15

D4441-1

Manufactured No

160 f

63.7986 0.308 1.232

\*\*

SB 12/08/22

\*D4441-1\*

Rubber Seal

Location	Loc Qty	Loc Code
prelim	6.739	
74760	6.739	
ST413	57.0596	
79385	49.8636	
80763	7.196	

1.3

D4441-1-037

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM	QTY -041	PART NUMBER	DESCRIPTION
1	X	D4435-041	BRACKET ASSEMBLY
2	1	D4435-1	BRACKET
3	1	D4441-1-035	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



**D4435-041 BRACKET ASSEMBLY**

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 0.7" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 83905 MLJ

12/04/27

RELEASED  
2012-03-02

B	ADD A HOLE TO D4435-9F (ZN C7-11)	RF	12.01.27
A	NEW ISSUE	RF	12.01.17
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D4435	SHEET 1 OF 11
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4435-043	MOUNT BRACKET ASSEMBLY
2	1	D4435-3	BRACKET
3	1	D4441-1-037	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



**D4435-043 BRACKET ASSEMBLY**



RELEASED  
2012-03-03  
JMT

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 1.0" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	140	D4435	SHEET 2 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COME OR COME IN CONTACT WITH ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

ITEM	QTY -045	PART NUMBER	DESCRIPTION
1	X	D4435-045	T/R BELLCRANK COVER ASSEMBLY
2	1	D4435-5	MOUNT BRACKET
3	1	D4435-7	BRACKET
4	4	MS20426AD3-2	RIVET
5	4	MS20470AD4-3	RIVET
6	1	MS21059L3	NUT PLATE
7	1	MS21062L3	NUT PLATE



83905


# **D4435-045 T/R BELLCRANK COVER ASSEMBLY**

## **NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.371 lbs
- 8) INSTALL D4435-5 BRACKET SURFACE FLUSH WITH THIS EDGE
- 9) TRANSFER  $\varnothing 0.129$  HOLES FROM D4435-5 MOUNT BRACKET INTO D4435-7 BRACKET

RELEASED  
2012-03-02

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 3 OF 11
APPROVED	149	TITLE	SCALE
DE APPR.	149	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	




**D4435-1 BRACKET**

**NOTES:**

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs

**RELEASED**  
2012-03-02

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	140	D4435	SHEET 4 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



**D4435-3 BRACKET**




**NOTES:**

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "BLACK SANDING" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.023 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 5 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED  
2012-03-02

835 05



83905

# **D4435-5 MOUNT BRACKET**


RELEASED  
2012-03-02

## **NOTES:**

- 1) MATERIAL: MAKE FROM D4435-5F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.08 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	120	DRAWING NO.	REV. B
MFG. APPR.	12	D4435	SHEET 6 OF 11
APPROVED	120	TITLE	SCALE
DE APPR.	12	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	








**D4435-SF FLAT PATTERN**

RELEASED  
2012-03-02  
IND

- NOTES:**
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR ASTM B209  
REF DART SPEC. M6061T6S-040
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 0.08 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b>
DRAWN	RE	HAWKESBURY, ONTARIO, CANADA
CHECKED	W	DRAWING NO.
MFG. APPR.	B	<b>D4435</b>
APPROVED	W	REV. B
DE APPR.	W	SHEET 7 OF 11
DATE	12.01.27	<b>BRACKET</b>
		SCALE
		NTS

Copyright © 2012 by DART Aerospace Ltd.  
This document is a private and confidential, and is owned by the company. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from DART Aerospace Ltd.



83905

# **D4435-7 BRACKET**


RELEASED  
2012-03-02

## **NOTES:**


- 1) MATERIAL: MAKE FROM D4435-7F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	<b>D4435</b>	SHEET 8 OF 11
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>BRACKET</b>	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


CSK  $\phi 0.179 \times 100^\circ$   
2 PL



**DETAIL A**  
SCALE 2X B5-9



**DETAIL B**  
SCALE 2X B3-9



**D4435-7F FLAT PATTERN**


**NOTES:**

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs



DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>140</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>EE</i>	D4435	SHEET 9 OF 11
APPROVED	<i>140</i>	TITLE	SCALE
DE APPR.	<i>140</i>	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED  
2012-03-02

93905



83905



**D4435-9 BRACKET**


RELEASED  
2012-03-02  
JMD

**NOTES:**

- 1) MATERIAL: MAKE FROM D4435-9F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 10 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	J	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

83905



**D4435-9F FLAT PATTERN**

RELEASE  
2012-03-02

**NOTES:**

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4435	SHEET 11 OF 11
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

